

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office JAN 18 2001

Returned to applicant for correction _____

Corrected application filed _____

Map filed JAN 06 1999 under 64738

The applicant **James Peri and Joe Peri**, hereby make application for permission to change the **Point of Diversion**, of water heretofore appropriated under **all of Permit No. 57825**

1. The source of water is **underground**
2. The amount of water to be changed **0.09 cfs, 65.0 acre feet annually**
3. The water to be used for **(industrial Purpose)**
4. The water heretofore permitted for **(industrial Purpose)**
5. The water is to be diverted at the following point **within the SW¼ of the NW¼ of Section 15, T.19N., R.21E., M.D.M., or at a point from which the west ¼ corner of said Section 15 bears South 50° 28' 30" West a distance of 1604.38 feet.**
6. The existing permitted point of diversion is located within **the NW¼ of the SW¼ of Section 15, T.19N., R.21E., M.D.M., said point bearing South 49° 13' 37" East, 5115.30 feet from the North ¼ corner of Section 16, T.19N., R.21E., M.D.M..**
7. Proposed place of use **Portions of the S½ of the NW¼ and N½ of the SW¼ of Section 15, and a portion of the N½ of the SE¼ of Section 16, T19N., R.21E., M.D.M..**
8. Existing place of use **Portions of the S½ of the NW¼ and N½ of the SW¼ of Section 15, and a portion of the N½ of the SE¼ of Section 16, T19N., R.21E., M.D.M..**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **Well, pump, storage tank and distribution system.**
12. Estimated cost of works **\$50,000.00**
13. Estimated time required to construct works **2 years**
14. Estimated time required to complete the application of water to beneficial use **5 years**
15. Remarks: **Refer to the Map to Accompany Application to Appropriate Water for Quasi-Municipal Purposes by Charles Chisholm, for existing point of diversion, proposed point of diversion and existing place of use. (Said Map filed under Application No. 64738 on January 6, 1999.) When this application is ready for action, Application No. 64738, will be withdrawn.**

By s/George G. Lindesmith
George G. Lindesmith
Tri State Surveying 1925 E. Prater Way
Sparks, Nevada 89434

Compared my/cmf dl/ gkl

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion of the waters of an underground source as heretofore granted under Permit 57825 is issued subject to the terms and conditions imposed in said Permit 57825 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 57826 and 67149 shall not exceed 65.0 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

(CONTINUED ON PAGE 3)

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.09 cubic feet per second, but not to exceed 65 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

August 1, 2007

Proof of completion of work shall be filed on or before:

September 1, 2007

Water must be placed to beneficial use on or before:

August 1, 2008

Proof of the application of water to beneficial use shall be filed on or before:

September 1, 2008

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 1st day of August, A.D. 2005


State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____ N/A

Certificate No. _____ Issued _____